

## Cdc25B (R317) polyclonal antibody

| Catalog: BS1046 Host: F                                                                                                                                                                                                                                                                                                                                                                                            | Rabbit    | Reactivity:                                                                                                    | Human,Mouse,Rat                      |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------|--------------------------------------|--|
| BackGround:<br>The activity of cyclin dependent kinases in cell cycle is                                                                                                                                                                                                                                                                                                                                           |           | <b>Purification&amp;Purity:</b><br>The antibody was affinity-purified from rabbit antiserum                    |                                      |  |
| regulated by the phosphorylation status, which is con-<br>trolled by the antagonistic action of wee 1 kinase and<br>Cdc25 phosphatases. Three Cdc25 genes are present in<br>human cells: Cdc25A, Cdc25B and Cdc25C. Cdc25A and<br>Cdc25B are expressed throughout the cell cycle, with<br>peak expression in G1 for Cdc25A and in both G1 S<br>phase and G2 for Cdc25B. Cdc25C is mainly expressed<br>in G2 phase. |           | by affinity-chromatography using epitope-specific im-<br>munogen and the purity is $> 95\%$ (by SDS-PAGE).     |                                      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                    |           | Applications:<br>IHC: 1:50~1:200<br>IF: 1:50~1:200                                                             |                                      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                    |           | Storage&Stability:<br>Store at 4 ℃ short term. Aliquot and store at -20 ℃ long term. Avoid freeze-thaw cycles. |                                      |  |
| <b>Product:</b><br>1 mg/ml in Phosphate buffered saline (PBS) w                                                                                                                                                                                                                                                                                                                                                    | ith 0.05% | Specificity:<br>CDC25B (R317) polyclonal antibody detects endogenous                                           |                                      |  |
| sodium azide, approx. pH 7.2.<br>Molecular Weight:                                                                                                                                                                                                                                                                                                                                                                 | 7.2.      |                                                                                                                | levels of CDC25B protein.            |  |
| ~ 65 kDa<br>Swiss-Prot:                                                                                                                                                                                                                                                                                                                                                                                            |           | Note:                                                                                                          |                                      |  |
| P30305                                                                                                                                                                                                                                                                                                                                                                                                             |           | For research use only, n                                                                                       | not for use in diagnostic procedure. |  |

## Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 Fax: 6122933841