

TGF β3 (G292) polyclonal antibody

Catalog: BS1363

Host: Rat

Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Transforming growth factor betas (TGFBs) were originally discovered due to their ability to promote anchorage-independent growth of rat NRK fibroblasts in the presence of TGFa. It is now realized that TGFBs mediate many cell-cell interactions that occur during embryonic develop ment. Three TGFBs have been identified in mam mals. TGF_{β1}, TGF_{β2} and TGF_{β3} are each syn thesized as precursor proteins that are very similar in that each is cleaved to yield a 112 amino acid polypeptide that remains associated with the latent portion of the mol ecules. Biologically active TGF^β requires dimerization of the monomers (usually homodimers) and release of the latent peptide portion. Overall, the mature region of the TGF₃ protein has approx imately 80% identity to the mature region of both TGF_{β1} and TGF_{β2}. However, the NH2 terminals or precursor regions of their molecules share only 27% sequence identity.

Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

Molecular Weight:

~ 50 kDa

Swiss-Prot:

P10600

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

IHC: 1:50~1:200


Storage&Stability:

Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at -20 $^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.

Specificity:

TGF β 3 (G292) polyclonal antibody detects endogenous levels of pro-TGF β 3 (47 kDa) and Cleaved-TGF β 3 (13 kDa) protein.

DATA:



Immunohistochemistry (IHC) analyzes of TGF β 3 (G292) pAb in paraffin-embedded human breast carcinoma tissue at 1:100.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: <u>info@biogot.com</u> Tel: 0086-025-68037686

Fax: 0086-025-68035151