

UBE1L (E996) polyclonal antibody

Catalog: BS1486

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

The ubiquitin activating enzyme E1 (UBE1) catalyzes the first step in ubiquitin conjugation to mark cellular proteins for degradation. UBE1 activates ubiquitin by first adenylating (with ATP) its carboxy-terminal glycine residue and thereafter linking this residue to the side chain of a cysteine residue in E1, yielding a ubiquitin-E1 thioester and a free AMP. UBE1 is an example of an X-Y homologous gene, which is X-linked with a distinct Y-linked gene in many mammals. UBE1L (Ubiquitin-activating enzyme E1 homolog), also known as UBA7 (Ubiquitin-like modifier-activating enzyme 7) or UBE2, is a 1011 amino acid homolog of UBE1. Like UBE1, UBE1L functions in the activation of ubiquitin through ATP-dependent adenylation. UBE1L is expressed in tumor cells and is a retinoid target that, through conjugation with ISG15 (Interferon-induced 15 kDa protein), triggers degradation and apoptosis in acute promyelocytic leukemia.

Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

Molecular Weight:

~ 112 kDa

Swiss-Prot:

P41226

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200

Storage&Stability:


Store at 4 °C short term. Aliquot and store at -20 °C long

term. Avoid freeze-thaw cycles.

Specificity:

UBE1L (E996) polyclonal antibody detects endogenous levels of UBE1L protein.

DATA:




Western blot (WB) analysis of UBE1L (E996) polyclonal antibody at 1:500 dilution

Lane1:Hela whole cell lysate(40ug)

Lane2:LOVO whole cell lysate(40ug)

Lane3:CT26 whole cell lysate(40ug)

Lane4:C6 whole cell lysate(40ug)



Immunohistochemistry (IHC) analyzes of UBE1L (E996) pAb in paraffin-embedded human lung carcinoma tissue at 1:100.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151