

TGFβ RII (E246) polyclonal antibody

Catalog: BS1696

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

A total of three members of the TGF β family, TGF β 1, TGF β 2 and TGF β 3, have been identified in mammals. Each is synthesized as a latent precursor that is subsequently cleaved forming the 112 amino acid growth factor which becomes active upon dimerization. TGF β s mediate their activity by high affinity binding to the type II receptor (TGF β RII) transmembrane protein with a cytoplasmic serine-threonine kinase domain. For signaling growth inhibition and early gene responses the type II receptor requires both its kinase activity and association with a TGF β -binding protein, designated the type I receptor. Two independent groups have recently described the cloning and sequence analysis of genes encoding TGF β type I receptor proteins designated ALK-5 (T β R-1) and TSR-1, respectively.

Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

Molecular Weight:

~ 65 kDa

Swiss-Prot:

P37173

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200

Storage&Stability:


Store at 4 °C short term. Aliquot and store at -20 °C long

term. Avoid freeze-thaw cycles.

Specificity:

TGF β RII (E246) polyclonal antibody detects endogenous levels of TGF β RII protein.

DATA:




Western blot (WB) analysis of TGF β RII (E240) polyclonal antibody at 1:500 dilution

Lane1:A549 whole cell lysate

Lane2:NIH-3T3 whole cell lysate

Lane3:H9C2 whole cell lysate



Immunohistochemistry (IHC) analyzes of TGF β RII (E246) pAb in par-

affin-embedded human colorectal carcinoma tissue at 1:50.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

Bioworld technology, co. Ltd.

 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151