

NFκB-p65 (K303) polyclonal antibody

Catalog: BS3157

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

p65 is a subunit of the nuclear factor kappa B. The transcription factor NFκB is widely recognized as a critical mediator of immune and inflammatory responses. In most cell types, NFκB is found in the cytoplasm where it is associated with an inhibitory protein in many tissues. A high proportion of spontaneous NIH/3T3 transformants over-express c-Met and by transfection analysis the c-Met proto-oncogene has been shown to exhibit transforming activity.

Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

Molecular Weight:

~ 60, 75 kDa

Swiss-Prot:

Q04206

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200

IF: 1:50~1:200

Storage&Stability:


Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

NFκB-p65 (K303) polyclonal antibody detects endoge-

nous levels of NFκB-p65 protein.

DATA:




Western blot (WB) analysis of NFκB-p65 (K303) polyclonal antibody at 1:500 dilution

Lane1: HEK293T whole cell lysate (32ug)

Lane2: RAW264.7 whole cell lysate (32ug)

Lane3: H9C2 whole cell lysate (19ug)

Lane4: HeLa whole cell lysate (32ug)



Immunohistochemistry (IHC) analysis of NFκB-p65 (K303) pAb in paraffin-embedded human breast carcinoma tissue at 1:100.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151