

## IL-12B (V277) polyclonal antibody

Catalog: BS3480

Host: Rabbit

Reactivity: Human, Mouse, Rat

### BackGround:

IL-12 is secreted by macrophages and human B-lymphoblastoid cells in response to antigenic stimulation. This IL is responsible for the differentiation of naive CD4<sup>+</sup> T cells into type 1 helper T cells that produce interferon- $\gamma$  (IFN- $\gamma$ ). It also activates production of tumor necrosis factor  $\alpha$  (TNF $\alpha$ ) from T and natural killer (NK) cells, and it inhibits IL-4 mediated suppression of IFN- $\gamma$ . IL-12 also has anti-angiogenic activity since the production of IFN- $\gamma$  increases the production of inducible protein-10 (IP-10). IL-12 p40 represents a subunit of IL-12 that is induced by several pathogens. IL-12 p70 is a subunit of IL-12 that is controlled through both the p35 and p40 genes in a cell type-specific fashion.

### Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

### Molecular Weight:

~ 37 kDa

### Swiss-Prot:

P29460

### Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

### Applications:

WB: 1:500~1:1000


### Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

### Specificity:

IL-12B (V277) polyclonal antibody detects endogenous levels of IL-12B protein.

### DATA:



Western blot (WB) analysis of IL-12B (V277) polyclonal antibody at 1:500 dilution

Lane1:Hela whole cell lysate(40ug)

Lane2:K562 whole cell lysate(40ug)

Lane3:CT26 whole cell lysate(40ug)

Lane4:PC12 whole cell lysate(40ug)

### Note:

For research use only, not for use in diagnostic procedure.

### Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: [info@bioworld.com](mailto:info@bioworld.com)

Tel: 6123263284

Fax: 6122933841

### Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: [info@biogot.com](mailto:info@biogot.com)

Tel: 0086-025-68037686

Fax: 0086-025-68035151