

Affinity-chromatography

Applications:

LRRK2 Rabbit monoclonal antibody

Catalog: BS40072 Host: Rabbit	Reactivity: Human Mouse
BackGround: LRRK2 positively regulates autophagy through a calci- um-dependent activation of the CaMKK/AMPK signaling pathway. The process involves activation of nicotinic acid adenine dinucleotide phosphate (NAADP) receptors, in- crease in lysosomal pH, and calcium release from lyso- somes. Together with RAB29, plays a role in the retro- grada trafficking pathway for receving protains, such as	WB 1:500~1:2000 IHC 1:50~1:200 ICC/IF 1:50~1:200 Storage&Stability: Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles. Specificity: LRRK2 Antibody detects endogenous levels of total LRRK2 DATA:
grade trafficking pathway for recycling proteins, such as mannose 6 phosphate receptor (M6PR), between lyso- somes and the Golgi apparatus in a retromer-dependent manner.	DATA:
Product: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2.	100
Molecular Weight: 286kDa	Western blot analysis of LRRK2 expression in GFP-LRRK2 lysate.
Swiss-Prot: Q5S007 Purification&Purity:	Note: For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.Add:1660 South Highway 100, Suite 500 St. Louis Park,
MN 55416,USA.Email:info@ bioworlde.comTel:6123263284Fax:6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151