

FABPI Rabbit monoclonal antibody

Catalog: BS41216 Host: Rabbit	Reactivity: Human Mouse Rat
BackGround:	term. Avoid freeze-thaw cycles.
FABP are thought to play a role in the intracellular	Specificity:
transport of long-chain fatty acids and their acyl-CoA es- ters. FABP2 is probably involved in triglyceride-rich lip-	FABPI Antibody detects endogenous levels of total FABPI
oprotein synthesis.	DATA:
Product: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2. Molecular Weight: 15kDa Swiss-Prot: P12104	KDa 250 100 100 37 25 37 25 20 15 10 10 10 10 10 10 10 10 10 10
Purification&Purity:	Western blot analysis of intestinal FABP expression in Human small in- testine lysate.
Affinity-chromatography	Note:
Applications: WB 1:500~1:2000	For research use only, not for use in diagnostic procedure.
Storage&Stability:	

Store at 4 ${}^\circ\!\!{\rm C}$ short term. Aliquot and store at -20 ${}^\circ\!\!{\rm C}$ long

Bioworld Technology, Inc.Add:1660 South Highway 100, Suite 500 St. Louis Park,
MN 55416,USA.Email:info@bioworlde.comTel:6123263284Fax:6122933841