

## Citrulline-Histone H3 (Arg8) Recombinant Rabbit mAb

| Catalog: BS43423 Host: Rabbit  | Reactivity: Human, Mouse, Rat  |
|--|--|
| <ul> <li>BackGround:</li> <li>Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.</li> <li>Product:</li> <li>Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.</li> <li>Molecular Weight:</li> <li>17 kDa</li> <li>Swiss-Prot:</li> <li>P68431</li> </ul> | Purification&Purity:         Affinity Purification         Applications:         WB: 1:1000<br>ICC/IF: 1:100<br>FC: 1:200<br>IP: 1:20         Storage&Stability:         Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.         Isotype:         IgG         DATA:         Note:         For research use only, not for use in diagnostic procedure. |

Bioworld Technology, Inc.Add:1660 South Highway 100, Suite 500 St. Louis Park,<br/>MN 55416,USA.Email:info@bioworlde.comTel:6123263284Fax:6122933841