

PI3-Kinase p110 delta Recombinant Rabbit mAb

Catalog:	BS45085	Host:	Rabbit	Reactivity: Human, Mouse, Rat
BackGround: Phosphoinositide 3-kinases (PI3Ks) phosphorylate inosi- tol lipids and are involved in the immune response. The				O00329 Purification&Purity: Affinity Purification
 b) Inplas and the involved in the initial response. The protein encoded by this gene is a class I PI3K found primarily in leukocytes. Like other class I PI3Ks (p110-alpha p110-beta, and p110-gamma), the encoded protein binds p85 adapter proteins and GTP-bound RAS. However, unlike the other class I PI3Ks, this protein phosphorylates itself, not p85 protein.[provided by Ref-Seq, Jul 2010] Product: Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt. Molecular Weight: 			K found pri- s I PI3Ks	Applications: WB: 1:1000-1:5000 ICC/IF: 1:100-1:200 Storage&Stability:
			bound RAS. this protein	Stor age & Stability. Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles. Isotype:
			sing(nH 7 4)	IgG DATA:
			n azide and	Note: For research use only, not for use in diagnostic procedure.
110 kDa Swiss-Prot:				

Bioworld Technology, Inc.Add:1660 South Highway 100, Suite 500 St. Louis Park,
MN 55416,USA.Email:info@bioworlde.comTel:6123263284Fax:6122933841