

# PCBP2 Recombinant Rabbit mAb

Catalog: BS47334

Host: Rabbit

Reactivity: Human, Mouse, Rat

# **BackGround:**

The protein encoded by this gene appears to be multifunctional. Along with PCBP-1 and hnRNPK, it is one of the major cellular poly(rC)-binding proteins. The encoded protein contains three K-homologous (KH) domains which may be involved in RNA binding. Together with PCBP-1, this protein also functions as a translational coactivator of poliovirus RNA via a sequence-specific interaction with stem-loop IV of the IRES, promoting poliovirus RNA replication by binding to its 5'-terminal cloverleaf structure. It has also been implicated in translational control of the 15-lipoxygenase mRNA, human papillomavirus type 16 L2 mRNA, and hepatitis A virus RNA. The encoded protein is also suggested to play a part in formation of a sequence-specific alpha-globin mRNP complex which is associated with alpha-globin mRNA stability. This multiexon structural mRNA is thought to be retrotransposed to generate PCBP-1, an intronless gene with functions similar to that of PCBP2. This gene and PCBP-1 have paralogous genes (PCBP3 and PCBP4) which are thought to have arisen as a result of duplication events of entire genes. Thsi gene also has two processed pseudogenes (PCBP2P1 and PCBP2P2). Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

## **Product:**

Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt. Molecular Weight:

## 35-45 kDa

**Swiss-Prot:** 

Q15366

**Purification&Purity:** 

Affinity Purification

**Applications:** 

WB: 1:1000<br />IHC: 1:100<br />ICC/IF: 1:100<br />FC: 1:50<br />IP: 1:20

#### **Storage&Stability:**

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

## **Isotype:**

IgG

#### **DATA:**

Raji kDa 250 -150 -100 -75 -50 -37 - - }+-25 -20 -15 -10 -

Western blot analysis of extracts from Raji cells using db11856 at

## 1:1000.

# Note:

For research use only, not for use in diagnostic procedure.

### Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 Fax: 6122933841

# Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: <u>info@biogot.com</u> Tel: 0086-025-68037686

Fax: 0086-025-68035151