

IL9 polyclonal antibody

Catalog: BS60363

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Interleukin-9, or IL-9, is a TH2 cytokine that has been shown to promote the antigen-independent growth of some T helper clones. IL-9 is a pleiotropic cytokine with multiple functions on cells of lymphoid, myeloid and mast cell lineages. Both mouse and human cDNAs encode 144 amino acid precursors with 18 amino acid residue signal peptides that are cleaved to form the mature biologically active glycoprotein. Although IL-9 is constitutively expressed in vitro by several transformed T cell lines, IL-9 expression can be induced in human peripheral blood T lymphocytes by T cell activators such as phorbol esters (PHA) and anti-CD3 antibodies. IL-9 exerts its biological effects through the interleukin-9 receptor, IL-9R. IL-9R is composed of at least two subunits: α

Product:

1mg/ml in PBS with 0.1% Sodium Azide, 50% Glycerol.

Molecular Weight:

~ 15 kDa

Swiss-Prot:

P15248

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

IL9 polyclonal antibody detects endogenous levels of IL9 protein.

DATA:



Western blot (WB) analysis of IL9 polyclonal antibody at 1:500 dilution

Lane1:HEK293T whole cell lysate

Lane2:Mouse heart tissue lysate

Lane3:Rat heart tissue lysate

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151