

INDO polyclonal antibody

Catalog: BS60456

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Indoleamine 2,3-dioxygenase (IDO) is an IFN- γ inducible enzyme that catalyzes the degradation of the essential amino acid L-tryptophan to N-formylkynurenine. The gene encoding human IDO maps to chromosome 8p12-p11. IDO, also known as INDO, is an important modulator of immunological responses and protects allogeneic concepti from alloreactive maternal lymphocytes. IDO mediates an interesting inhibitory effect of HeLa cells co-cultured with human PBLs. The ILN-2-induced proliferation response of PBLs is diminished in the presence of HeLa cells while an IDO inhibitor negates this effect. Flow cytometric analysis indicates both mature and immature CD123-positive dendritic cells suppress T cell activity using IDO. IDO-transfected cells co-cultured with T cells reduces T cell proliferation.

Product:

1mg/ml in PBS with 0.1% Sodium Azide, 50% Glycerol.

Molecular Weight:

~ 45 kDa

Swiss-Prot:

P14902

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

INDO polyclonal antibody detects endogenous levels of INDO protein.

DATA:



Western blot (WB) analysis of INDO polyclonal antibody at 1:500 dilution

Lane1: HEK293T cell lysate treated with IFN γ (100ug/ml, 15mins)

Lane2: A549 cell lysate treated with IFN γ (100ug/ml, 15mins)

Lane3: H9C2 cell lysate treated with IFN γ (100ug/ml, 15mins)

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151