

STK36 polyclonal antibody

| Catal | log: | BS61725 |
|-------|------|---------|
| | | |

Host:

Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

The segment polarity gene Fused (Fu) encodes a putative serine-threonine kinase Fu, which has been shown to play a key role in the Hedgehog signaling pathway of Drosophila. Human FU (hFU) has been shown to enhance the activity of Gli transcription factors, targets of the signaling pathway.

Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.3.

Molecular Weight:

~ 143 kDa

Swiss-Prot:

Q9NRP7

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

Storage&Stability:


Store at 4 ${}^\circ\!\!{\rm C}$ short term. Aliquot and store at -20 ${}^\circ\!\!{\rm C}$ long

term. Avoid freeze-thaw cycles.

Specificity:

STK36 polyclonal antibody detects endogenous levels of STK36 protein.

DATA:



Western blot (WB) analysis of STK36 polyclonal antibody at 1:500 dilution

Lane1: The Testis tissue lysate of Mouse(40ug)

Lane2: The Testis tissue lysate of Rat(40ug)

Lane3:L02 whole cell lysate(40ug)

Lane4:A549 whole cell lysate(40ug)

Note:

For research use only, not for use in diagnostic procedure.

| Biowo | orld Technology, Inc. |
|--------|---|
| Add: | 1660 South Highway 100, Suite 500 St. Louis Park, |
| | MN 55416,USA. |
| Email: | info@bioworlde.com |
| Tel: | 6123263284 |
| Fax: | 6122933841 |