

BLK (phospho-Y389) polyclonal antibody

Catalog: BS64159

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Blk is a Src family protein tyrosine kinase expressed in all stages of B cell development. Activation of B cells by various ligands is accompanied by activation of Blk. It has been suggested that Blk is involved in the control of B cell differentiation and proliferation. Blk transcripts have also been detected in human thymocytes, but not in mature T cells, implicating that Blk may play an important role in thymopoiesis. Blk function may be redundant, however, as mice that do not express Blk are not impaired with respect to B cell development and immune response.

Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.3.

Molecular Weight:

~ 57 kDa

Swiss-Prot:

P51451

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000


Storage&Stability:

Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at $-20 \,^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.

Specificity:

BLK (phospho-Y389) polyclonal antibody detects endogenous levels of BLK protein only when phosphorylated at Tyr389.

DATA:



Western blot (WB) analysis of BLK (phospho-Y389) polyclonal antibody at 1:500 dilution

Lane1:COS-7whole cell lysate(40ug)

Lane2:MCF-7whole cell lysate(40ug)

Lane3:CT26 whole cell lysate(40ug)

Lane4:PC12 whole cell lysate(40ug)

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686

Fax: 0086-025-68035151