

# PRODUCT DATA SHEET

Bioworld Technology,Inc.

# MRPS28 polyclonal antibody

Catalog: BS71965 Host: Rabbit Reactivity: Human, Mouse

#### **BackGround:**

Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 28S subunit protein that has been called mitochondrial ribosomal protein S35 in the literature.

## **Product:**

1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

# **Molecular Weight:**

21kDa

# **Swiss-Prot:**

Q9Y2Q9

# **Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

#### **Applications:**

WB,1:500 - 1:1000|IF/ICC,1:20 - 1:100


### Storage&Stability:

Store at  $4\,\mathrm{C}$  short term. Aliquot and store at  $-20\,\mathrm{C}$  long term. Avoid freeze-thaw cycles.


# **Category:**

Polyclonal Antibodies


#### **DATA:**



Western blot analysis of extracts of various cell lines, using MRPS28 antibody at 1:3000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.<br/>
Lysates/proteins: 25ug per lane.<br/>
Blocking buffer: 3% nonfat dry milk in TBST.<br/>
Detection: ECL Enhanced Kit .<br/>
Exposure time: 90s.



 $\label{lem:mmunofluorescence} Immunofluorescence\ analysis\ of\ HeLa\ cells\ using\ MRPS28\ Polyclonal$   $Antibody\quad at\ dilution\ of\ 1:100\ .\ Blue:\ DAPI\ for\ nuclear\ staining.$ 



Immunofluorescence analysis of NIH-3T3 cells using MRPS28 Polyclonal Antibody at dilution of 1:100. Blue: DAPI for nuclear staining.

#### Note:

For research use only, not for use in diagnostic procedure.

# Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841

# Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: <u>info@biogot.com</u>
Tel: 0086-025-68037686
Fax: 0086-025-68035151