

IRAK4 polyclonal antibody

Catalog: BS7963

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Interleukin-1 receptor (IL1R)-associated kinases (IRAKs) are important mediators in the signal transduction of Toll-like receptor (TLR) and IL1R family members, collectively referred to as TIRs. IRAK family members include two active kinases, IRAK-1 and IRAK-4, and two inactive kinase, IRAK-2 and IRAK-M. Binding of IL-1 to its cognate receptor results in the activation of the NFkB signaling pathway and MAP kinase pathways. IRAK-4 appears to act upstream of other IRAKs and phosphorylates IRAK-1 on threonine 387. It is highly expressed in liver and kidney tissues, but also displays a wide, low level of expression in other tissues. IRAK-4 is an essential component of innate immunity. Deficiency of IRAK-4 leads to recurrent bacterial infections and profound hyporesponsiveness to LPS and IL-1. Therefore, IRAK-4 may be a potential target for therapeutic drug design.

Product:

1mg/ml in PBS with 0.1% Sodium Azide, 50% Glycerol.

Molecular Weight:

~ 52 kDa

Swiss-Prot:

Q9NWZ3

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:2000

IHC: 1:50~1:200


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

IRAK4 polyclonal antibody detects endogenous levels of IRAK4 protein.

DATA:



WesternBlot (WB) analysis of IRAK4 polyclonal antibody

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogol.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151