

**SQSTM1 polyclonal antibody**

Catalog: BS80377

Host: Rabbit

Reactivity: Human, Mouse, Rat

**BackGround:**

Enables K63-linked polyubiquitin modification-dependent protein binding activity; identical protein binding activity; and ionotropic glutamate receptor binding activity. Involved in several processes, including brown fat cell proliferation; energy homeostasis; and positive regulation of long-term synaptic potentiation. Acts upstream of or within negative regulation of transcription by RNA polymerase II. Located in several cellular components, including aggresome; autolysosome; and sperm midpiece. Is expressed in several structures, including alimentary system; central nervous system; genitourinary system; limb; and sensory organ. Used to study Paget's disease of bone. Human ortholog(s) of this gene implicated in GNE myopathy; Paget's disease of bone; and frontotemporal dementia and/or amyotrophic lateral sclerosis-3. Orthologous to human SQSTM1 (sequestosome 1).

**Product:**

1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

**Molecular Weight:****Swiss-Prot:**

Q64337

**Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

**Applications:**

WB, 1:500 - 1:2000

**Storage&Stability:**

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

**Modification:**

Unmodification

**DATA:****Note:**

For research use only, not for use in diagnostic procedure.

**Bioworld Technology, Inc.**

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: [info@bioworld.com](mailto:info@bioworld.com)

Tel: 6123263284

Fax: 6122933841

**Bioworld technology, co. Ltd.**

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: [info@biogol.com](mailto:info@biogol.com)

Tel: 0086-025-68037686

Fax: 0086-025-68035151