

NDUFB9 monoclonal antibody

Catalog:	MB11282	Host:	Rabbit	Reactivity:	Human,Mouse,Rat
BackGrou	nd:				Mouse kidney
Accessory subunit of the mitochondrial membrane respir-					72- 55-
atory chain NADH dehydrogenase (Complex I), that is					43-
believed to be not involved in catalysis. Complex I func-					34- 26-
tions in the transfer of electrons from NADH to the res-					NDUFB9
piratory chain. The immediate electron acceptor for the					17- 10-
enzyme is b	elieved to be ubiqu	iinone.			
Product:				Western blot analysis of NDU	UFB9 in mouse kidney lysates using
50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol,				NDUFB9 antibody.	
0.01% Sodium azide and 0.05% BSA					
Molecular Weight:					
Calculated MW: 22 kDa; Observed MW: 22 kDa					
Swiss-Prot:					
Q9Y6M9					
Purification&Purity:					
Affinity Purified				Western blot analysis of NDUFB9 in rat Brain lysates using NDUFB	
Applications:				antibody.	
WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200			: 1/50-1/200	•	sis of NDUFB9 in Hela using NDUFB9
IP: 1/20				antibody,and DAPI	
Storage&Stability:				Immunohistochemistry analysis of paraffin-embedded Human colon	
Store at 4 ${}^\circ\!\!{\rm C}$ short term. Aliquot and store at -20 ${}^\circ\!\!{\rm C}$ long			t -20 ℃ long	cancer using NDUFB9 antibody.High-pressure and temperature Sodiu Citrate pH 6.0 was used for antigen retrieval.	
term. Avoid freeze-thaw cycles.					
Isotype:				Note:	
IgG				For research use only, not for use in diagnostic procedu	
DATA:					

Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151