

# Phospho-beta Arrestin 1 (Ser412) monoclonal antibody

Catalog: MB11849

Host: Rabbit

Read

Reactivity: Human

## **BackGround:**

Members of arrestin/beta-arrestin protein family are thought to participate in agonist-mediated desensitization of G-protein-coupled receptors and cause specific dampening of cellular responses to stimuli such as hormones, neurotransmitters, or sensory signals. Arrestin beta 1 is a cytosolic protein and acts as a cofactor in the beta-adrenergic receptor kinase (BARK) mediated desensitization of beta-adrenergic receptors. Besides the central nervous system, it is expressed at high levels in peripheral blood leukocytes, and thus the BARK/beta-arrestin system is believed to play a major role in regulating receptor-mediated immune functions. Alternatively spliced transcripts encoding different isoforms of arrestin beta 1 have been described. [provided by RefSeq, Jan 2011]

#### **Product:**

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

#### **Molecular Weight:**

Calculated MW: 47 kDa; Observed MW: 50 kDa

#### **Swiss-Prot:**

P49407

**Purification&Purity:** 

Affinity Purified

# Applications:


WB: 1/500-1/1000 IHC: 1/50-1/100 IP: 1/20

# Storage&Stability:


Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at -20  $^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

# Isotype: IgG

#### **DATA:**



Western blot analysis of Phospho-beta Arrestin 1 in A549, MCF-7,U251, HL-60 lysates using Phospho-beta Arrestin 1 antibody.



Immunohistochemistry analysis of paraffin-embedded Human lung cancer using beta Arrestin 1 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

### Note:

For research use only, not for use in diagnostic procedure.

### Bioworld Technology, Inc.

 
 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

# Bioworld technology, co. Ltd.

 
 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151