

Entactin monoclonal antibody

Catalog: MB12013 Host: Rabbit	Reactivity: Human
BackGround: Sulfated glycoprotein widely distributed in basement	、 ^{後巻} た ⁴⁸ た ⁴⁸ 、 ⁴⁵⁵ 、 ⁴⁵⁵ 、 ⁴⁵⁵ 180- 190- 95- Entactin/NID
membranes and tightly associated with laminin. Also binds to collagen IV and perlecan. It probably has a role in cell-extracellular matrix interactions. Product:	95- 72- 55- 43- 34- 26-
50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA	Western blot analysis of Entactin/NID in Hela, A549, HL-60, U251,
Molecular Weight:	U87-MG lysates using Entactin antibody.
Calculated MW: 136 kDa; Observed MW: 136 kDa Swiss-Prot: P14543 Purification&Purity: Affinity Purified Applications: WB: 1/500-1/1000 IHC: 1/50-1/100 Storage&Stability: Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.	Immunohistochemistry analysis of paraffin-embedded Human colon cancer using Entactin/NID antibody.High-pressure and temperature So- dium Citrate pH 6.0 was used for antigen retrieval.
·	Note:
Isotype: IgG DATA:	For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 Fax: 6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151